

## PUBLIC NOTICE

### NOTICE OF APPLICATION FOR A NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM PERMIT TO DISCHARGE TREATED WASTEWATER INTO THE WATERS OF THE STATE OF GEORGIA.

The Georgia Environmental Protection Division (EPD) is considering the reissuance of a NPDES permit for the following applicant, subject to specific pollutant limitations and special conditions:

City of Commerce, Post Office Box 348, Commerce, Georgia 30529, NPDES Permit No. GA0026247, for the Northside Water Pollution Control Plant located at 578 W. E. King Road, Commerce, Georgia 30529. 1.05 MGD of treated wastewater is discharged to Beaver Dam Creek tributary in the Savannah River Basin. The permit includes a facility expansion from 1.05 MGD to 2.1 MGD, as in the current permit.

Persons wishing to comment on this proposed permit are invited to submit their comments in writing to the EPD address below, within 30 days of this notice. All comments received before or on that date will be considered in the formulation of final determinations for this permit. "City of Commerce (Jackson County) - Northside Water Pollution Control Plant " should be placed at the top of the first page of comments. A public hearing may be held if the EPD Director finds a significant degree of public interest in this proposed permit. A public hearing may be requested, or additional information regarding public hearing procedures is available, by writing the EPD at the address noted below.

The permit application, draft permit, and other information are available for review at 4220 International Parkway, Suite 101, Atlanta, Georgia 30354, between the hours of 8:00 a.m. and 4:30 p.m., Monday through Friday and at the City Hall during normal business hours. For additional information contact: Jane Hendricks, Permitting, Compliance and Enforcement Program at (404) 362-2680.

Please bring this to the attention of persons who you know will be interested in this matter.